

## WEST Search History

DATE: Thursday, January 03, 2008

Hide?	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
		<i>DB=USPT,USOC; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L19	L18 and (corona or needle) near20 electrode near20 (concentric or tubular or cylinder or cylindrical)	127
<input type="checkbox"/>	L18	95/\$7.ccls. or 96/\$7.ccls.	39012
		<i>DB=USPT,PGPB; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L17	('4230466'  '4502093')![pn]	2
		<i>DB=USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L16	L15 and corona	263
<input type="checkbox"/>	L15	l2 and electrode near20 (concentric or tubular or cylinder or cylindrical) and electrode near10 plate	794
		<i>DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L14	L12 and air.ti.	53
<input type="checkbox"/>	L13	L12	300
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L12	L9 not L5	300
		<i>DB=USPT,PGPB; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L11	('2789657'  '3816980'  '4038583'  '4227894'  '4231766'  '4516991')![pn]	6
		<i>DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L10	L5 and ioniz\$5	65
<input type="checkbox"/>	L9	L8 and ioniz\$5	365
<input type="checkbox"/>	L8	L7 and corona	710
<input type="checkbox"/>	L7	L3 and electrode same (concentric or tubular or cylinder or cylindrical)	3495
<input type="checkbox"/>	L6	L3 and electrode same (concentric or tubular or cylind\$7)	3536
<input type="checkbox"/>	L5	L4 and corona	137
<input type="checkbox"/>	L4	L3 and electrode same concentric	418
<input type="checkbox"/>	L3	L2	433489
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L2	air near2 (handl\$3 or clean\$3 or treat\$5 or purifier or purification or purif\$5 or deodori\$6 or sterili\$6 or disinfect\$3 or condition\$3 or filtrat\$3)	487449
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L1	(4264343 or 4689056).pn.	2

END OF SEARCH HISTORY